

	U	1	Document ID	Issue Date	Pages
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6411755 B1	20020625	10
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6321001 B1	20011120	6
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5978524 A	19991102	101
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5664032 A	19970902	99
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4618211 A	19861021	8
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6353264 B1	20020305	18
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6064783 A	20000516	12
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6002822 A	19991214	14
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5982962 A	19991109	18

	Title	Current OR	Current XRef
1	Cladding-assisted single-mode fiber coupler	385/28	385/37
2	Wavelength division multiplexed optical communication system	385/24	359/127; 359/130; 385/14; 385/33; 385/37
3	Phosphor RE-radiation in integrated optics	385/4	385/10; 385/130; 385/131; 385/14; 385/15; 385/16; 385/17; 385/2; 385/37; 385/40; 385/8; 385/901
4	Display panel with electrically-controlled waveguide-routing	385/4	385/10; 385/130; 385/131; 385/14; 385/15; 385/16; 385/17; 385/2; 385/37; 385/40; 385/8; 385/901
5	Optical fiber tap with activatable chemical species	385/48	385/123; 385/142
6	Pseudomonolithic wafer scale module	257/777	257/432; 257/686; 385/49; 385/92
7	Integrated laser and coupled waveguide	385/15	372/50; 385/14; 385/37; 385/50; 385/88
8	Article comprising an optional waveguide tap	385/48	
9	Fiber-integrated microlenses and optical fiber FBG couplers, spectrometers, and multiplexers comprised thereof	385/37	

	U	1	Document ID	Issue Date	Pages
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5974212 A	19991026	10
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5852688 A	19981222	72
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5657407 A	19970812	10
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5255332 A	19931019	6

	Title	Current OR	Current XRef
10	Optical line monitor and optical amplification apparatus using same	385/37	359/130; 359/333; 385/24; 385/31
11	Method for manipulating optical energy using poled structure	385/16	359/251; 359/283; 372/102; 372/6; 385/10; 385/37
12	Optical waveguide coupling device having a parallelogramic grating profile	385/37	372/102; 385/130
13	NxN Optical crossbar switch matrix	385/17	

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1398	(fiber adj optic) and bragg	USPAT; EPO; JPO; DERWEN T; IBM_TD B	2002/08/02 06:24
2	BRS	L2	1168	1 and coupl\$4	USPAT; EPO; JPO; DERWEN T; IBM_TD B	2002/08/02 06:25
3	BRS	L3	1150	2 and @ay<2001	USPAT; EPO; JPO; DERWEN T; IBM_TD B	2002/08/02 06:40
4	BRS	L4	486	3 and 385/\$.ccls.	USPAT; EPO; JPO; DERWEN T; IBM_TD B	2002/08/02 06:41